

PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

SUPPLY AND DOOR-TO-DOOR DELIVERY OF SCIENCE AND MATHEMATICS EQUIPMENT

Bid Reference Nos. 2025-07-22A and 2025-07-22B

Government of the Republic of the Philippines



CURRICULUM LEARNING AND MANAGEMENT DIVISION

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract.

For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.

- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	4
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	8
1. Scope of Bid	11
2. Funding Information.....	11
3. Bidding Requirements	11
4. Corrupt, Fraudulent, Collusive, and Coercive Practices	11
5. Eligible Bidders.....	11
6. Origin of Goods	12
7. Subcontracts	12
8. Pre-Bid Conference	12
9. Clarification and Amendment of Bidding Documents	12
10. Documents comprising the Bid: Eligibility and Technical Components	12
11. Documents comprising the Bid: Financial Component	13
12. Bid Prices	14
13. Bid and Payment Currencies	14
14. Bid Security	14
15. Sealing and Marking of Bids	15
16. Deadline for Submission of Bids	15
17. Opening and Preliminary Examination of Bids	15
18. Domestic Preference	15
19. Detailed Evaluation and Comparison of Bids	15
20. Post-Qualification	16
21. Signing of the Contract	16
Section III. Bid Data Sheet	17
Section IV. General Conditions of Contract	22
1. Scope of Contract	23
2. Advance Payment and Terms of Payment	23
3. Performance Security	23
4. Inspection and Tests	23
5. Warranty	24
6. Liability of the Supplier	24
Section V. Special Conditions of Contract	25
Section VI. Schedule of Requirements	Error! Bookmark not defined.
Section VII. Technical Specifications	30
Section VIII. Checklist of Technical and Financial Documents	35

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines
Department of Education
REGION I

INVITATION TO BID FOR
**SUPPLY AND DOOR-TO-DOOR DELIVERY OF SCIENCE AND MATHEMATICS
EQUIPMENT**

1. The **Department of Education Regional Office I, City of San Fernando, La Union** through the FY and 2024 and 2025 GAA intends to apply the sum of **Nine Million Two Hundred Seventy Six Thousand Two Hundred Ninety-one & 20/100 Pesos (₱9,276,291.20)** being the Approved Budget for the Contract to payments under the contract for the **Supply and Door-to-Door Delivery of Science and Mathematics Equipment**. The project is divided into the following lots:

Lot and Bid Reference No.	PROJECT TITLE	ABC	CONTRACT DURATION	BIDDING DOCS FEE
1 (2025-07-22A)	Science and Mathematics Equipment (Utilizing the GAA 2024 Savings)	2,040,307.50	60 calendar days upon receipt of Notice to Proceed	5,000.00
2 (2025-07-22B)	Science and Mathematics Equipment	7,235,983.70		5,000.00
				10,000.00

Bids received in excess of the ABC shall be automatically rejected at bid opening. However, bids per item shall not exceed the threshold for semi-expendable property.


2. The **Department of Education Regional Office I, City of San Fernando, La Union** now invites bids for the above Procurement Project. Delivery of the goods is required within 60 calendar days upon receipt of Notice to Proceed. Bidders should have completed, within **five years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
4. Prospective Bidders may obtain further information from **Department of Education Regional Office I, City of San Fernando, La Union** and inspect the Bidding Documents at the

Department of Education Regional Office I, City of San Fernando, La Union from Monday to Friday 8:00AM to 5:00PM.

5. A complete set of Bidding Documents may be acquired by interested bidders from **August 7, 2025 to August 26, 2025**, at the address and/or through the website(s) specified in Paragraphs 11 and 12, upon payment of the applicable fee, as indicated in Paragraph 1, in accordance with the latest guidelines issued by the Government Procurement Policy Board (GPPB). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person or through electronic means at the DepEd RO-1 Remittances and other Funds with Land Bank Account Number 0202-0256-41. Deposit Slip should be scanned and emailed to the BAC Secretariat at bac.region1@deped.gov.ph.
6. The **Department of Education Regional Office I, City of San Fernando, La Union** will hold a **Pre-Bid Conference** on **August 14, 2025 at 8:30 in the morning** at its **Executive Conference Hall** and/or through video conferencing or webcasting *via* **GOOGLE MEET**, which shall be open to prospective bidders upon request.
7. Bids must be duly received by the BAC Secretariat through manual submission at the **Department of Education Regional Office I, City of San Fernando, La Union on or before 9:00 o'clock in the morning on August 26, 2025**. Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
9. Bid opening shall be on **August 26, 2025 at 11:00 o'clock in the morning** at the **Executive Conference Room, Department of Education, Regional Office I, City of San Fernando, La Union**. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity or on line through a link that will be provided upon request.
10. The **Department of Education, Regional Office I, City of San Fernando, La Union** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

DARIUS C. NIETO
Head, BAC Secretariat
DepED Regional Office I, City of San Fernando, La Union
bac.region1@deped.gov.ph
072-682-23-24 local 108
12. You may visit the following websites:

For downloading of Bidding Documents: depedro1.com



RHODA T. RAZON
BAC Chairperson

BAC/lmp/dcn/SME

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Department of Education, Regional Office I, City of San Fernando, La Union** wishes to receive Bids for the **Door-to-Door Delivery of Science and Mathematics Equipment** with Project identification Numbers **2025-07-22A** and **2025-07-22B**. The Procurement Project (referred to herein as “Project”) is composed of Two (2) Lots the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **FY 2024** in the amount **Two Million Forty Thousand Three Hundred Seven & 50/100 Pesos & FY 2025** in the amount of **Seven Million Two Hundred Thirty Five Thousand Nine Hundred Eighty Three & 70/100 Pesos (₱7,235,983.70)**
- 2.2. The source of funding is the General Appropriations Act 2024 & 2025.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that Subcontracting is not allowed.

8. Pre-Bid Conference

The **Department of Education Regional Office I, City of San Fernando, La Union** will hold a **pre-bid conference** for this Project on **August 14, 2025 at 8:30 in the morning at its Executive Conference Hall** and/or through **GOOGLE MEET** as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **five years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent

office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

- 14.2. The Bid and bid security shall be valid until December 23, 2025. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case may be. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as **One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.**
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause	
5.3	<p>For this purpose, contracts similar to the Project shall be:</p> <ul style="list-style-type: none"> a. Supply and Delivery of Science and Mathematics Equipment b. completed within five (5) years prior to the deadline for the submission and receipt of bids. c. completed at least one (1) contract similar to the Project the value of which, must be at least equivalent to fifty percent (50%) of the ABC per lot or 50% of the total ABC if the bidder intends to participate in all lots
7.1	The Procuring Entity has prescribed that Subcontracting is not allowed.
9	<p>Request for clarifications for an interpretation must be in writing and submitted at least ten (10) calendar days before the deadline set for the submission and receipt of bids.</p> <p>For purposes of this Clause the Procuring Entity's Representative and address is as follows:</p> <p>RHODA T. RAZON Chairperson, Bids and Awards Committee Department of Education Regional Office I Flores St., Catbangan, City of San Fernando, La Union</p> <p>Consistent with Section 22.5.3 of the revised IRR of RA 9184, posting on the PHILGEPS and the procuring entity's website of any supplemental/bid bulletin shall be deemed sufficient notice to all bidders or parties considered.</p>
12	The price of the Goods shall be quoted DDP to the Department of Education Regional Office I, City of San Fernando, La Union for this Project.
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p>The amount of not less than ₱40,806.15 for Lot 1 and ₱144,716.67 for Lot 2, equivalent to two percent (2%) of ABC), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</p> <p>The amount of not less than ₱ 102,015.38 for Lot 1 and ₱361,799.19 for Lot 2, equivalent to five percent (5%) of ABC, if bid security is in Surety Bond.</p>

15	<p>Prospective bidders shall enclose their original eligibility and technical documents in a sealed envelope marked as ORIGINAL – TECHNICAL PROPOSAL. Copies thereof shall be similarly sealed in envelopes marked as COPY 1 – TECHNICAL PROPOSAL and COPY 2 – TECHNICAL PROPOSAL. The said envelopes containing original and the copies shall then be enclosed in one single envelope marked as TECHNICAL PROPOSAL. On the other hand the original of their financial documents shall be enclosed in another sealed envelope marked as ORIGINAL – FINANCIAL PROPOSAL. Copies thereof shall be similarly sealed in envelopes marked as COPY 1 – FINANCIAL PROPOSAL and COPY 2 – FINANCIAL PROPOSAL. The said envelopes containing the original and the copies shall then be enclosed in one single envelope marked as FINANCIAL PROPOSAL. Further, the envelopes marked as TECHNICAL PROPOSAL and FINANCIAL PROPOSAL shall be enclosed and/or sealed in an outer envelope marked as MOTHER ENVELOPE. Additional copies of TECHNICAL PROPOSAL and FINANCIAL PROPOSAL for COA shall likewise be provided.</p> <p>To facilitate the receipt and classification of envelopes and the subsequent evaluation of the bid proposals, the MOTHER ENVELOPE shall be RED, the inner envelope containing the TECHNICAL PROPOSAL shall be BLUE and the inner envelope containing the FINANCIAL PROPOSAL shall be GREEN. The divider tabs for the table of contents and each part in the checklist shall be LIGHT GREEN.</p> <p>Unsealed or unmarked bid envelopes shall be rejected. However, bid envelopes that are not properly sealed and marked, as required in the Bid Docs, shall be accepted, provided that the bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening.</p>
16	Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated in the Invitation to Bid .
19.4	The Project shall be awarded as One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
20.1	<p>For purposes of post-qualification, the following shall be required: Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit the following requirements:</p> <ol style="list-style-type: none"> 1. Latest income and business tax returns: Printed copies of the Electronically filed Income Tax and Business Tax Returns with copies of their respective Payment Confirmation Forms for the immediately preceding calendar/tax year from the authorized agent bank; Only tax returns filed and taxes paid through the BIR Electronic Filing and Payment System (EFPS) shall be accepted.

NOTE: The latest income and business tax returns are those within the last six months preceding the date of bid submission.

2. Documents to verify or support its Statement of all on-going government and private contracts such as Notice of Award and/or Contract, Notice to Proceed issued by the owner, Certificate of Accomplishment signed by the owner;
3. For validation purposes, original copy Class A Eligibility Documents.

During post-qualification, compliance of the goods offered with the requirements specified in this bidding document shall be thoroughly assessed, encompassing the following criteria:

1. **In accordance with Section 34.3, b.ii, item a of the IRR of R.A. 9184**, the verification of availability and commitment, as well as inspection and testing, for the required capacities and operating conditions of equipment units intended to be owned, leased, or under purchase by the bidder for use in the contract being bid for. Additionally, the performance of the bidder in its ongoing government and private contracts will be scrutinized. Any ongoing contract revealing:
 - a. Negative slippage of at least fifteen percent (15%) in any single project or a negative slippage of at least ten percent (10%) in each of two (2) or more contracts will be subject to evaluation.
2. **In accordance with Section 34.3, b.iii, item a to c of the IRR of R.A. 9184**, the verification, inspection, and testing of the goods/products, aftersales, and maintenance capabilities, in applicable cases, as well as checking the following:
 - a. Instances of delay in the partial delivery of goods amounting to ten percent (10%) of the contract price in its on-going government and private contracts
 - b. Failure of the bidder to deliver or perform any or all of the goods or services within the specified period(s) in the contract or within any extension thereof granted by the Procuring Entity following a request made by the supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contract price; or
 - c. Evaluation of the supplier's adherence to contractual terms and conditions at the time of inspection, ensuring satisfactory performance of their obligations.

If the BAC verifies any of these deficiencies to be due to the bidder's fault or negligence, the BAC shall disqualify the bidder from the award, for the procurement of goods.

In case of foreign bidders, a Certificate of Authentication from the Department of Foreign Affairs shall be required for each document submitted, i.e. the Class

	<p>“A” documents or its equivalent that are written in foreign language, translated to English, and duly authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder’s affairs in the Philippines.</p> <p>Failure to submit the above requirements within the required timeframe or a finding against the veracity of any such documents or other documents submitted for the project shall be a ground for disqualification of the bidder for the award and the enforcement of the bid securing declaration.</p>
21.1	<i>No further instructions</i>

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
1	<p>Delivery and Documents</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>“The delivery terms applicable to this Contract are delivered duly duty paid (DDP) to the recipient schools divisions. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site are the division inspectorate team of the recipient schools division.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements: Select appropriate requirements and delete the rest.</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p>

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of **three months**.

Spare parts or components shall be supplied as promptly as possible, but in any case, within **three months** of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. The packaging of the items shall be per recipient school in every schools division office.

Insurance –

The goods under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The goods remain at the risk and title of the Supplier until their final acceptance by DepEd.

Transportation –

The Supplier shall transport the Goods to the Fourteen (14) Schools Division Offices of Region 1. The transport of the Goods, including insurance and storage, as specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

	<p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify DepEd Regional Office I against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
	<p>Performance Security</p> <p>The Performance Security shall be posted in favor of DepEd Regional Office I, and shall be forfeited in the event it is established that the Supplier is in default of any of its obligation under the contract. The Supplier shall be responsible for the extension of its performance security and/or renewal of its performance security whenever necessary and without need of prior notice or instruction from DepEd Regional Office I, to ensure that it is in force and effect for the whole duration of the contract delivery period and until a Certificate of Final Acceptance is duly issued. Performance Security shall not contain any deletion, crossing-out, expunction, or any form of correction. Otherwise, DepEd Regional Office I may reject such security if any such intercalation, superimposition, or alteration affects any material information, or feature of the document.</p>
2.1	Partial Payment is not allowed
4	<p>Inspections and Tests</p> <p>The inspections and tests that will be conducted shall be compliance with the technical specifications and if the items are found not compliant with the technical specifications during the inspection, the supplier shall replace the items within five (5) days from the receipt of the notice.</p> <p>Inspection shall be conducted by the duly constituted inspectorate based on the existing rules and regulations.</p> <p>DepEd reserves the right to visit and inspect the Supplier's premises covered by the Contract at any stage of implementation to assess the Supplier's capacity to fulfill contractual obligations.</p> <p>Goods found to have defects or non-compliance with required specifications upon delivery will be rejected by Schools Division Office, in writing. The Supplier must replace all rejected goods immediately from receiving the Notice of Rejection from Schools Division Office. Replacement goods will undergo re-inspection.</p> <p>Ensuring compliance with inspection procedures guarantees the quality and suitability of goods acquired by DepEd Regional Office I for educational purposes.</p>

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

A. Delivery Sites:

Goods shall be delivered and inspected at the fourteen (14) schools divisions.

B. Contract Duration

Contract Delivery shall be made within 60 calendar days upon receipt of the Notice to Proceed

Reminders on the delivery of goods:

The Supplier shall:

1. Deliver the goods in the right quantity and quality based on the contract agreement, allocation list, and specifications set by DepEd (attached in the bidding documents).
2. Notify the indicated authorized receiving personnel at the Delivery Site of the scheduled date of delivery at least five (5) working days in advance, and shall ensure that the authorized receiving personnel is present during the date and time of delivery.
3. Make delivery or deliveries to the recipient schools on regular working days, during Office hours from 8:00 A.M. to 5:00 P.M. The Receiving Personnel reserves the right to refuse to receive/accept delivered Goods made before 8:00 A.M. or after 5:00 P.M., and on non-working days.
4. Ensure that the delivery receipt/s, Inspection and Acceptance Reports, and Property Transfer Report (IAR) are signed by the authorized receiving personnel and inspectorate team.
5. Request a Certificate of Acceptance signed by the Authorized Representative of the Schools.
6. Retrieve and replace defective/rejected goods within a 30-day period from the concerned recipients at no cost to DepEd.

Lot	Description	Quantity	UOM	Total	Delivered Weeks/Months
1	Supply and Door-To-Door-Delivery of Science and Mathematics Equipment (Utilizing the 2024 Savings)				60 calendar days upon receipt of notice to Proceed
	Musical Instruments	275	pieces	275	
	Set of Tools	150	set	150	
	Glass Cover Slips, 100s/box	500	box	500	
	Glass Slides, 72s/box	500	box	500	
	Protractor, student-type	3000	pieces	3000	
	Ruler, plastic, 12"/30cm	3000	pieces	3000	
	pH Meter, Hand-held	105	pieces	105	
	Rubber stopper #6 for Erlenmeyer Flask (narrow mouth) 250 mL, 1 hole	605	pieces	605	
	Rubber stopper #6 for Erlenmeyer Flask (narrow mouth) 250 mL, 2 holes	610	pieces	610	
	Triangular File, fine 6" long with plastic handle	500	pieces	500	
	Universal pH Paper, pH 0-14, 100 strips/pack	500	pack	500	

Lot	Description	Quantity	UOM	Total	Delivered Weeks/Months
2	Supply and Dor-To-Door-Delivery of Science and Mathematics Equipment				60 calendar days upon receipt of Notice to Proceed
	Key Stages1,2,4 (SHS-CORE,SHS-STEM)				
	Protractor, student-type	60,000	pieces	60,000	
	Ruler, plastic, 12 inches/30cm	60,000	pieces	60,000	
	Beaker, borosilicate, 100ml	5,000	pieces	5,000	
	Beaker, borosilicate, 500ml	5,000	pieces	5,000	
	Key Stages 4 (SHS-CORE,SHS-STEM)				
	Ph Meter, hand-held	600	pieces	600	
	Rubber stopper #6 for Erlenmeyer Flask (narrow mouth) 250 mL, 1 hole	4,000	pieces	4,000	
	Rubber stopper #6 for Erlenmeyer Flask (narrow mouth) 250 mL, 2 holes	4,000	pieces	4,000	
	Triangular File, fine 6" long with plastic handle	500	pieces	500	
	Universal pH Paper, pH 0-14, 100 strips/pack	600	packs	600	
	Flask, Volumetric, borosilicate	500	pieces	500	
	Dry Cell, 9 volts	634	pieces	634	
	Cork Borers	500	pieces	500	
	Nichrome wire 0.4, 100ft (1 spool per package =1.1 oz minimum with spool	633	pieces	633	
	Key Stage 4 (SHS-CORE)				
	Musical Instrument (Miniature	1,000	pieces	1,000	
	Beaker, Plastic 500ml	5,000	pieces	5,000	
	Key Stage 4 (SHS-CORE)				
	Set of Tools	300	set	300	

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>

Technical Specifications

LOT 1

Item Number	Description	Description	Quantity	COMPLIANCE (Pls. put check mark (/) if the bidder commits to comply)
	General Specifications: 1. Must be branded. 2. Must be free from toxic materials. 3. Must be properly packed 4. Must be accompanied by a user's Manual written in English with correct grammar, spelling, and punctuation marks. 5. "Imported products should pass international quality control product standards and have international quality control product markings such as ASQC, AFCIO, ASQ, DGQ, EOQC, IQACE, ISO, ASTM, and the likes, while locally made products (Philippine-made) should pass the local quality control product standards and bear the PS mark"			
1	Musical Instrument (Miniature Guitar)	Functional Specifications: Used to demonstrate musical application of standing waves Performance Specifications: Should be able to demonstrate musical application of standing waves Design Specifications: 1. Mini acoustic type, half-size guitar, any color, surface finish; varnish 2. Made of good quality wood without sign of warp 3. Minimum dimensions: Overall length 33 inches, Width: 12 inches depth: 3 ½ inches 4. Standard guitar steel strings (Nos 1-6), 18 fret minimum	275 pcs	
2	Set of tools		150 sets	
	Set of Tools: Ball-Peen Hammer, handle length is 11" 350g approx.. weight, 1 pc/set	Functional Specifications: Used to peen dent surfaces in metals Performance Specifications: should be able to peen dent surfaces in metals Design Specifications: Ball-peen Hammer, handle length 11", 350 grams gross weight approx., 1 pc/set		
	Set of Tools: Long Nose Pliers, 6", 1 pair/set	Functional Specifications; Used to bend tiny solid wire connectors Performance Specifications: Should be able to bend tiny solid wire connectors Design Specifications; Long Nose Pliers with side cutter, 6' long chrome vanadium material, 1 pair/set		
	Set of tools; Mechanical wire Cutter and pliers 6.5", 1 pair/set	Functional Specifications; Use to bend large wires Performance Specifications; Should be able to bend large wires Design Specifications: Mechanical-Wire Cutted and Pliers, 6 ½ ", chrome vanadium material, 1 pair/set		
	Set of Tools; Precision Screwdrivers set, 6 pcs/set, with plastic casing, 1 set/set	Functional Specifications; Use to drive flat head screws Performance Specifications; Should be able to drive flat head screws Design Specifications: Soldering Iron, 60		
	Set Tools: Screw Driver, flat, 6", 1 pc/set	Functional Specifications; Use to drive flat head screws		

		Performance Specifications; Should be able to drive flat head screws Design Specifications: Screwdriver, flat, 3/16" tip width x 6" long, chrome vanadium material, 1 pc/set;		
	Set of tools: Screwdriver, Phillips 6', 1pc/set	Functional Specifications; Use to drive Phillips type screws Performance Specifications; should be able to drive Phillips type screws Design Specifications: Screwdriver, phillips, point size blade #3 x 6" long, chrome vanadium material, 1 pc/set.		
	Set of Tools: soldering Iron, 60 w atts, 1 pc/set	Functional Specifications; Use to heat electrical contracts for permanent joints Performance Specifications; should be able to heat electrical contracts for permanent joints Design Specifications: Soldering Iron, 60 watts, small type, wooden handle, 1 pc/set		
	Set of Tools Soldering Lead, 01mm, grade 60/40, wt.: 1 lb/spool, 1 spool/set	Functional Specifications; Use to provide permanent joint for different electrical components Performance Specifications; should be able to provide permanent joint for different electrical components Design Specifications: Soldering Lead, o 1 mm, grade 60/40 weight: 1 lb/spool, spool/set		
	Set of Tools: Soldering paste, 50 grams/can, 1 can/set	Functional Specifications; Use to provide better adhesion of solder lead electrical joints Performance Specifications; should be able to provide better adhesion of solder lead to electrical joints Design Specifications: Soldering paste, all purpose flux, non corrosive, 50 grams/can, 1 can/set		
	Set of Tools: Tweezers, stainless steel, with curved tips, 6.5" long, 1 pair/set	Functional Specifications; Use to hold and pick tiny electronics components Performance Specifications; should be able to hold and pick tiny electronics components Design Specifications: Tweezers, stainless, with curved tips, 6 1/2 " long, 1 pair/set		
3	Glass Cover Slips, 100's/box	Functional Specifications: Used to secure the wet mount sample specimen. Performance Specifications: Must be able to secure the wet mounted sample specimen. Design Specifications: 1. Pre-cleaned cover glasses and not sticking from each other 2. Material: Transparent glass 3. Quantity: 100's/small plastic box 4. Dimension: 22 mm x 22 mm square 5. Thickness: 0.13 mm - 0.17 mm 6. There shall be no chipped edges 7. Safely packed in a plastic box	500pcs	
4	Glass Slides, 72s/box	Functional Specifications: Used to contain the specimen for examination under the microscope. Performance Specifications: Must be able to accommodate the specimen subject for examination under the microscope. Design Specifications: 1. Clear, flat glass; free from moisture, dirt, and film; 2. No color, no frost and no chipped edges 3. Dimension: 75 mm (±1 mm) x 25 mm (± 1 mm); 4. Thickness: 1.1 mm (± 0.1 mm)	500pcs	

		5. No sharp edges and pointed corners. Packed in a box containing slides with thin paper sheets in between them		
5	Protractor, student-type	<p>Functional Specifications: Used to measure angles in degrees.</p> <p>Performance Specifications: Must be able to draw/construct and measure angles and arcs up to 180°.</p> <p>Design Specifications: 1. Protractor, student-type, plastic, transparent, semi-circular, 180°; 2. Ø150mm (or 75mm radius), 1mm thick (minimum); 3. Angular graduations are in degrees, from 0° to 180°. With two(2) sets of numerals, one reading clockwise and the other reading counterclockwise; 4. Linear graduations are in millimeters, from 0 to 100mm; 5. With a hole at vertex point enough for a fine string to pass through it; 6. Plastic Surface Finish: Smooth, clear, and free from scratches; 7. It must be horizontally level when laid flat on a table - no warping; 8. Comes with a plastic case;</p>	30,000pcs	
6	Ruler, plastic, 12 inches/30cm	<p>Functional Specifications: Used to measure length and draw straight lines</p> <p>Performance Specifications: Must be able to measure length of objects in flat surfaces up to 30 cm in Metric and 12" in English standards of measurement.</p> <p>Design Specifications: 1. Ruler, plastic, transparent, smooth surface, and 1mm thick (minimum); 2. Approximate Width x Length: 28 mm x 314 mm; 3. Graduations: Metric graduations on one side while English graduations on the other side: *Metric graduations are in centimeters, from 0 cm to 30 cm, with every cm subdivided by 10. *English graduations are in inches, from 0 inches to 12 inches, with every inch subdivided by 16. 4. Clear, readable black, non-groove permanent prints (will not fade and cannot be scratched off); 5. Bendable up to U-shape when held at both ends; and 6. The item shall be free from toxic materials.</p>	30,000pcs	
7	pH Meter, hand-held	<p>Functional Specifications: To measure the pH of a substance or solution indicating its acidity, being neutral, or its basicity/alkalinity in 0.1 pH readability</p> <p>Performance Specifications: Must be able to measure the pH of each substance/solution in 0.1 pH readability, :</p> <p>a) For an acid : pH 0- pH 6.0 b) For basic/alkaline : pH 8.0 to pH 14.0. c) For neutral (distilled water) : pH 7.0</p> <p>Design Specifications:</p> <p>1. Type: Portable hand held digital pen type</p> <p>2. Material : Plastic with the following dimensions : a) Length : 6.2 in (155.45 mm) (min) b) Width : 1.5 in (38.1 mm) (min) c) Height : 1.3 in (33.02 mm) (min)</p> <p>3. With retractable electrode</p>	105pcs	

		<p>4. Comes with one (1) pc protective cap</p> <p>5. Electrodes extend up to 3.15" (80.01 mm) (min)</p> <p>6. Waterproof</p> <p>7. pH range: pH 0 to pH 14</p> <p>8. Accuracy: ± 0.2 pH</p> <p>9. Features a bold LCD display of pH</p> <p>10. With automatic temperature compensation</p> <p>11. Supplied with accessories:</p> <ul style="list-style-type: none"> a) One (1) bottle pH 7.0 buffer solution Capacity of pH 7.0 buffer solution : 50 mL b) With one (1) pc calibration screwdriver c) One (1) pc 9V battery d) Packed in hard plastic carry case 1 <p>12. Manufacturer should be accredited by NIST standards or its equivalent to the country of origin to certify that their items are calibrated.</p> <p>13. With User's Manual in English</p> <p>14. With Student Worksheets/Teacher's Manual in English</p> <p>15. For numbers 13-14, the following technical specifications from a to e must be followed:</p> <ul style="list-style-type: none"> a) For Contents List of materials, In Table form b) For User's Manual, Teacher's Guide, Student Worksheets, Instruction Sheets/Assembly Guides, In sentences format <ul style="list-style-type: none"> i) With sentences grammatically correct and ii) With correct spelling and terminologies, punctuations and others c) In original print, not photocopied d) In colored pictures, drawings/illustrations e) In ten (10) mil laminated keycard that shall contain the actual colored picture of the model including the name: labeled with the required parts with details as follows <p>i) Paper Size: A4 size , 80 gsm</p> <p>ii) Font: Times New Roman</p> <p>iii) Font size: 12</p> <p>iv) Orientation: Portrait</p> <p>v) Margins on all sides with 2 point width border line</p> <p>vi) Line with arrow head of 1.25 point with width shall point to the specified part being labeled</p> <p>16. Must be free from sharp edges</p> <p>17. Must have a brand</p>		
8	<p>Rubber stopper #6 for Erlenmeyer Flask (narrow mouth) 250 mL, 1 hole</p>	<p>Functional Specifications: Used to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with one (1) hole opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction .to prevent leaks, hazards and contamination.</p> <p>Performance Specifications: Must be able to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance .with one (1) hole opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination.</p> <p>Design Specifications:</p> <p>1. Shape: Cylindrical with a tapered bottom end</p>	605pcs	

		<p>2. Material : Premium grade SBR black rubber compound with the following dimensions:</p> <p>a) Height: 25 mm</p> <p>b) Top Ø: 32 mm</p> <p>c) Bottom Ø : 26 mm</p> <p>d) Hole Ø: 5 mm</p> <p>3. Number of holes :With one (1) hole</p> <p>4. Dimension tolerance on height, top and bottom diameter : ± 0.5 mm</p> <p>5. Hardness : 40 ± 5 Duro</p> <p>6. Packed in resealable plastic bag</p> <p>7. Comes with a brand</p>		
9	Rubber stopper #6 for Erlenmeyer Flask (narrow mouth) 250 mL, 2 holes	<p>Functional Specifications: Used to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with two (2) holes opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination.</p> <p>Performance Specifications: Must be able to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with two (2) holes opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination.</p> <p>Design Specifications:</p> <p>1. Shape: Cylindrical with a tapered bottom end</p> <p>2. Material : Premium grade SBR black rubber compound with the following dimensions: a) Height: 25 mm b) Top Ø: 32 mm c) Bottom Ø : 26 mm d) Hole Ø: 5 mm</p> <p>3. Number of holes : Two (2) holes</p> <p>4. Dimension tolerance on height, top and bottom diameter : ± 0.5 mm</p> <p>5. Hardness : 40 ± 5 Duro</p> <p>6. Packed in resealable plastic bag</p> <p>7. Comes with a brand</p>	610pcs	
10	Triangular File, fine 6" long with plastic handle	<p>Functional Specifications: Used to cut the glass tubing</p> <p>Performance Specifications: Must be able to cut the glass tubing</p> <p>Design Specifications:</p> <p>1. Type of file: Triangular</p> <p>2. Shape: Triangular</p> <p>3. Material: High carbon steel</p> <p>4. Kind of file: Fine, smooth</p> <p>5. Length of file: 6" (150-152.4 mm) long</p> <p>6. Material of handle: Plastic</p> <p>7. Packed in a resealable pouch</p> <p>8. Comes with a brand</p>	500 pcs	
11	Universal pH Paper, pH 0-14, 100 strips/pack	<p>Functional Specifications: Used as an indicator to determine/measure the pH of substances, whether it is an acid, neutral or a base</p> <p>Performance Specifications: Must be used as an indicator to effect a color change when it is dipped into the different substances to determine/measure the pH</p>	500 packs	

		<p>of each, through comparison with the pH color chart provided, which corresponds to:</p> <p>a) For an acid : pH 0-pH 6; b) For a base : pH 8-pH 14. c) For distilled water : pH 7</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Test strips 2. Shape: Rectangle 3. Material: Cellulose/Paper based 4. Dimension of pH strip : <ol style="list-style-type: none"> a) Length : 69 mm x 6 mm 5. Number of colors in indicator test strip: In four colors to test pH values 6. Number of test strips : 100 pc strips 7. Packaging: Clear, transparent box 8. Shape of box: Square 9. With complete color chart for comparison with the color change to get the pH reading of the sample being tested 10. No sharp edges on box 11. Measures pH 0-pH 14 12. Comes with a brand 		
--	--	--	--	--

LOT 2

Item Number	Description	Description	Quantity	COMPLIANCE (Pls. put check mark (/) if the bidder commits to comply)
	General Specifications: 1. Must be branded. 2. Must be free from toxic materials. 3. Must be properly packed 4. Must be accompanied by a user's Manual written in English with correct grammar, spelling, and punctuation marks. 5. "Imported products should pass international quality control product standards and have international quality control product markings such as ASQC, AFCIO, ASQ, DGQ, EOQC, IQACE, ISO, ASTM, and the likes, while locally made products (Philippine-made) should pass the local quality control product standards and bear the PS mark"			
	KEY STAGES 1,2,4 (SHS-CORE, SHS-STEM)			
1	Protractor, student-type	Functional Specifications: Used to measure angles in degrees. Performance Specifications: Must be able to draw/construct and measure angles and arcs up to 180°. Design Specifications: 1. Protractor, student-type, plastic, transparent, semi-circular, 180°; 2. Ø150mm (or 75mm radius), 1mm thick (minimum); 3. Angular graduations are in degrees, from 0° to 180°. With two(2) sets of numerals, one reading clockwise and the other reading counterclockwise; 4. Linear graduations are in millimeters, from 0 to 100mm; 5. With a hole at vertex point enough for a fine string to pass through it; 6. Plastic Surface Finish: Smooth, clear, and free from scratches; 7. It must be horizontally level when laid flat on a table - no warping; 8. Comes with a plastic case	60,000 pcs	
2	Ruler, plastic, 12 inches/30cm	Functional Specifications: Used to measure length and draw straight lines Performance Specifications: Must be able to measure length of objects in flat surfaces up to 30 cm in Metric and 12" in English standards of measurement. Design Specifications: 1. Ruler, plastic, transparent, smooth surface, and 1mm thick (minimum); 2. Approximate Width x Length: 28 mm x 314 mm; 3. Graduations: Metric graduations on one side while English graduations on the other side: *Metric graduations are in centimeters, from 0 cm to 30 cm, with every cm subdivided by 10. *English graduations are in inches, from 0	60,000 pcs	

		<p>inches to 12 inches, with every inch subdivided by 16.</p> <p>4. Clear, readable black, non-groove permanent prints (will not fade and cannot be scratched off);</p> <p>5. Bendable up to U-shape when held at both ends; and</p> <p>6. The item shall be free from toxic materials.</p>		
3	Beaker, borosilicate, 100ml	<p>Functional Specifications: Used contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Performance Specifications: Must be able to contain/hold/prepare solids and liquids during chemical reaction up to 100 mL capacity and heats them over a Bunsen burner's flame up to more than 150°C for normal, standard use service</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type : Griffin, low form 2. Shape : Cylindrical container with straight sides, a flat bottom, and with a small spout (or "beak") to aid in pouring 3. Material: Borosilicate, clear and transparent bubble-free glass with the following dimensions: a) Outside diameter : 50 mm-52 mm b) Height: 70 mm-72 mm c) Thickness : 1.5 mm-2.0 mm 4. Capacity : 100 mL \pm 5% etched onto the glass;" 5. Graduation starts at : 20 mL in 10 mL increments. 6. Graduation range : 20 mL to 80 mL 7. With permanent white enamel graduations of approximate volumes, inscriptions 8. With large white marking spout 9. Features an easy-pour spout 10. With single graduated metric scale 11. Can withstand heating up to 200-230°C for normal, standard use service 12. Wrapped in paper, enclosed in bubble wrap, and packed in a compartmentalized box 13. Must be free from breakage, cracks , chipped rims and other defects 14. Comes with a brand, with five (5) years existence in the glass wares industry 	5000 pcs	
4	Beaker, borosilicate, 500ml	<p>Functional Specifications:</p> <ol style="list-style-type: none"> a) Used to contain/hold/prepare solids and liquids during chemical reaction and to heat them over a Bunsen burner's flame up to 150°C for normal, standard use service and b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition. <p>Performance Specifications:</p> <ol style="list-style-type: none"> a) Must be able to contain/hold /prepare solids and liquids during chemical reaction and heats them over a Bunsen burner's flame up to 150°C for normal, standard use service and to serve as a water bath 	5000 pcs	

		<p>b) to serve as a water bath when heating flammable chemicals instead of an open flame to prevent ignition.</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Berzellius, tall form 2. Shape: Cylindrical container with straight sides, a flat bottom, with a small spout (or "beak") to aid pouring <p>Material : Borosilicate, clear, bubble free glass , Berzellius. tall form with the following dimensions:</p> <ol style="list-style-type: none"> a) Outside Diameter Range :75 mm- 80 mm b) Height range: 136 mm -140 mm c) Thickness :1.5 mm to 2.0 mm <ol style="list-style-type: none"> 4. Capacity :500 mL ; \pm 5% etched/embossed onto the glass 5. With permanent white enamel graduations of approximate volumes, inscriptions and 6. With large white marking spot 7. With easy pour spout 8. Double graduated metric scale 9. Marked to fill: Graduation starts at 50 mL in 50 mL increments 10. Marked to empty: Graduation starts at 0 mL in 50 mL increments 11. Can withstand heating up to 200-230°C for normal, standard use service 12. Wrapped in paper, enclosed in bubble wrap and packed individually in a compartmentalized box 13. Must be free from breakage, cracks , chipped rims and other defects 14. Comes with a brand, with five (5) years existence in the glass wares industry 		
KEY Stages 4 (SHS_CORE,SHS-STEM)				
1	pH Meter, hand held	<p>Functional Specifications: To measure the pH of a substance or solution indicating its acidity , being neutral, or its basicity/alkalinity in 0.1 pH readability</p> <p>Performance Specifications: Must be able to measure the pH of each substance/solution in 0.1 pH readability, :</p> <ol style="list-style-type: none"> a) For an acid : pH 0- pH 6.0 b) For basic/alkaline : pH 8.0 to pH 14.0. c) For neutral (distilled water) : pH 7.0 <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Portable hand held digital pen type 2. Material : Plastic with the following dimensions : <ol style="list-style-type: none"> a) Length : 6.2 in (155.45 mm) (min) b) Width : 1.5 in (38.1 mm) (min) c) Height : 1.3 in (33.02 mm) (min) 3. With retractable electrode 4. Comes with one (1) pc protective cap 5. Electrodes extend up to 3.15" (80.01 mm) (min) 6. Waterproof 7. pH range: pH 0 to pH 14 	600 pcs	

		<p>8. Accuracy: ± 0.2 pH</p> <p>9. Features a bold LCD display of pH</p> <p>10. With automatic temperature compensation</p> <p>11. Supplied with accessories:</p> <ul style="list-style-type: none"> a) One (1) bottle pH 7.0 buffer solution <p>Capacity of pH 7.0 buffer solution : 50 mL</p> <ul style="list-style-type: none"> b) With one (1) pc calibration screwdriver c) One (1) pc 9V battery d) Packed in hard plastic carry case 1 <p>12. Manufacturer should be accredited by NIST standards or its equivalent to the country of origin to certify that their items are calibrated.</p> <p>13. With User's Manual in English</p> <p>14. With Student Worksheets/Teacher's Manual in English</p> <p>15. For numbers 13-14, the following technical specifications from a to e must be followed:</p> <ul style="list-style-type: none"> a) For Contents List of materials, In Table form b) For User's Manual, Teacher's Guide, Student Worksheets, Instruction Sheets/Assembly Guides, In sentences format <ul style="list-style-type: none"> i) With sentences grammatically correct and ii) With correct spelling and terminologies, punctuations and others c) In original print, not photocopied d) In colored pictures, drawings/illustrations e) In ten (10) mil laminated keycard that shall contain the actual colored picture of the model including the name: labeled with the required parts with details as follows <ul style="list-style-type: none"> i) Paper Size: A4 size , 80 gsm ii) Font: Times New Roman iii) Font size: 12 iv) Orientation: Portrait v) Margins on all sides with 2 point width border line vi) Line with arrow head of 1.25 point with width shall point to the specified part being labeled <p>16. Must be free from sharp edges</p> <p>17. Must have a brand</p>		
2	<p>Rubber stopper #6 for Erlenmeyer Flask (narrow mouth) 250 mL, 1 hole</p>	<p>Functional Specifications: Used to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with one (1) hole opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction .to prevent leaks, hazards and contamination.</p> <p>Performance Specifications: Must be able to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance .with one (1) hole opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination.</p>	4000 pcs	

		Design Specifications: 1. Shape: Cylindrical with a tapered bottom end 2. Material : Premium grade SBR black rubber compound with the following dimensions: a) Height: 25 mm b) Top Ø: 32 mm c)Bottom Ø : 26 mm d) Hole Ø: 5 mm 3. Number of holes :With one (1) hole 4. Dimension tolerance on height, top and bottom diameter : ± 0.5 mm 5. Hardness : 40 ± 5 Duro 6. Packed in resealable plastic bag 7. Comes with a brand		
3	Rubber stopper #6 for Erlenmeyer Flask (narrow mouth) 250 mL, 2 holes	Functional Specifications: Used to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with two (2) holes opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination. Performance Specifications: Must be able to seal the openings of narrow mouth 250 mL Erlenmeyer flasks and other laboratory glassware that require a tighter seal or a greater degree of chemical resistance with two (2) holes opening for insertion of a thermometer, glass tubing or stirrer for use during chemical reaction to prevent leaks, hazards and contamination. Design Specifications: 1. Shape: Cylindrical with a tapered bottom end 2. Material : Premium grade SBR black rubber compound with the following dimensions: a) Height: 25 mm b) Top Ø: 32 mm c) Bottom Ø : 26 mm d) Hole Ø: 5 mm 3. Number of holes : Two (2) holes 4. Dimension tolerance on height, top and bottom diameter : ± 0.5 mm 5. Hardness : 40 ± 5 Duro 6. Packed in resealable plastic bag 7. Comes with a brand	4000 pcs	
4	Triangular File, fine 6" long with plastic handle	Functional Specifications: Used to cut the glass tubing Performance Specifications: Must be able to cut the glass tubing Design Specifications: 1. Type of file: Triangular 2. Shape: Triangular 3. Material: High carbon steel 4. Kind of file: Fine, smooth 5. Length of file: 6" (150-152.4 mm) long 6. Material of handle: Plastic 7. Packed in a resealable pouch 8. Comes with a brand	500 pcs	
5	Universal pH Paper, pH 0-14, 100 strips/pack	Functional Specifications: Used as an indicator to determine/measure the pH of	600 pcs	

		<p>substances, whether it is an acid, neutral or a base</p> <p>Performance Specifications: Must be used as an indicator to effect a color change when it is dipped into the different substances to determine/measure the pH of each, through comparison with the pH color chart provided, which corresponds to:</p> <p>a) For an acid : pH 0-pH 6; b) For a base : pH 8-pH 14. c) For distilled water : pH 7</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Test strips 2. Shape: Rectangle 3. Material: Cellulose/Paper based 4. Dimension of pH strip : <ol style="list-style-type: none"> a) Length : 69 mm x 6 mm 5. Number of colors in indicator test strip: In four colors to test pH values 6. Number of test strips : 100 pc strips 7. Packaging: Clear, transparent box 8. Shape of box: Square 9. With complete color chart for comparison with the color change to get the pH reading of the sample being tested 10. No sharp edges on box 11. Measures pH 0-pH 14 12. Comes with a brand 		
6	Flask, Volumetric, borosilicate 250ml	<p>Functional Specifications: Used to measure/prepare/contain a precise volume of standard solutions at a certain temperature and precise dilution of solutions up to 250 mL</p> <p>Performance Specifications: Must be able to measure/prepare/contain a precise volume of standard solutions at a certain temperature and precise dilution of solutions up to 250 mL</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Type: Class A 2. Shape : A round or pear-shaped bulb, a long thin neck topped by a snap cap and with flat bottom 3. Material of body: Borosilicate , clear, transparent and bubble-free, glass with the following dimensions: <ol style="list-style-type: none"> a) Height: 225 mm b) Outside diameter : 78 mm (approx.) c) Size: 250 mL d) Tolerance: ± 0.12 mL 4. With heavy duty rim 5. Comes with snap cap <ol style="list-style-type: none"> a) Material of snap cap :High density plastic (polyethylene) b) With octagonal grip c) Snap-cap : No. 250 d) Color of snap cap: Blue 6. Must meet ASTM E- 694 for volumetric ware, ASTM E-542 for calibration of volumetric ware and ASTM E-288 for volumetric flasks. 7. Calibrated "to contain" (marked "TC" or "IN") 	500 pcs	

		<p>8. Manufacturer should be accredited by NIST standards or its equivalent to the country of origin to certify that their items are calibrated.</p> <p>9. Must be free from breakage, cracks, sharp rims and other defects</p> <p>10. Packaging : Roll up glassware in newspaper and secure with a piece of masking tape and place in a bubble pouch and individually packed in a sturdy box</p> <p>11. Comes with a brand, with five (5) years existence in the glasswares industry Functional Specific</p>		
7	Dry Cell, 9 volts	<p>Functional Specifications: Used to provide 9 volts DC power to digital multimeter</p> <p>Performance Specifications: Should be able to provide 9 volts DC power to digital multimeter</p> <p>Design Specifications: 1 industry standard 9 volts dry cell</p>	634 pcs	
8	Cork Borers	<p>Functional Specifications: Used to bore or to cut a round hole of six different diameters in a cork/rubber stopper with a steel ramrod/eject rod pushing the removed cork out of the borer</p> <p>Performance Specifications: Must be able to bore or to cut a round hole of six different diameters in a cork or rubber stopper and remove cork out of the borer by pushing it with a steel ramrod/eject rod</p> <p>Design Specifications:</p> <ol style="list-style-type: none"> 1. Shape of cork borer : Long, hollow round rod/tube with sharpened ends 2. Material of tube/rod : Nickel-plated steel borer 3. A set of six (6) different diameter sizes:(4 mm, 4.5 mm, 6 mm, 8 mm, 9.5 mm, 11 mm) 4. Comes with a handles which are individually and permanently numbered (1-6) for easy identification handle a) Shape of handle: T-shaped b) Material of handle : Hard plastic c) Finish: Smooth d)Color of handle: Red 5. Includes a ramrod/eject rod pushing the removed cork out of the borer Material of ramrod/eject rod: Steel 6. Packaging: Resealable plastic pouch 7. Comes with a brand 	500 pcs	
9	Nichrome wire 0.4, 100ft (1 spool per package =1.1 oz minimum with spool	<p>Functional Specifications: Used as a wire loop and heating element on which a metal salt or solid ionic compound is made to adhere into it and is heated to emit a characteristic color on the Bunsen flame to identify the particular metal present in the compound</p> <p>Performance Specifications: Must be used as a wire loop on which a metal salt or solid ionic compound is made to adhere to, and is heated to emit a characteristic color on the Bunsen flame to identify the particular metal present in the compound in a laboratory activity, the Flame test</p>	633 pcs	

		Design Specifications: 1. Shape: Round wire 2. Material of wire: Nichrome-Alloy of nickel and chromium, Ni80 Cr20 with the following dimensions: a) AWG size: 26 b) Diameter: 0.4 mm c) Length : 100 ft 3. Form: Soft, rust-free wire 4. Color: Silvery grey 5. Resistance : 2.57 ohms/foot 6. Annealed soft 7. Perfectly tensioned. Zero elongation, scratches, or other flaws. 8. Comes in a spool 9. Packed in a resealable plastic pouch 10. Comes with a brand		
	KEY STAGE (SHS-STEM)			
1	Musical Instrument (Miniature Guitar)	Functional Specifications: Used to demonstrate musical application of standing waves Performance Specifications: Should be able to demonstrate musical application of standing waves Design Specifications: 1. Mini acoustic type, half-size guitar, any color, surface finish; varnish 2. Made of good quality wood without sign of warp 3. Minimum dimensions: Overall length 33 inches, Width: 12 inches depth: 3 ½ inches 4. Standard guitar steel strings (Nos 1-6), 18 fret minimum	1000 pcs	
2	Beaker, Plastic 500 ml	Functional Specifications: Used to contain liquids and allow liquids thru spout when overfilled. Performance Specifications; Should be able to contain liquids and allow liquids to flow thru spout when overfilled Design Specifications: 1. Material: polypropylene plastic 2. Capacity: 500 mL Increments: 10mL 3. Height: 12 cm 4. Diameter: 8 cm 5. Must have container box 6. Must be free from any toxic material	5000 pcs	
KEY STAGE 4 (SHS-CORE)				
1	Set of tools		300 sets	
	Set of Tools: Ball-Peen Hammer, handle length is 11" 350g approx.. weight, 1 pc/set	Functional Specifications: Used to peen dent surfaces in metals Performance Specifications: should be able to peen dent surfaces in metals Design Specifications: Ball-peen Hammer, handle length 11", 350 grams gross weight approx., 1 pc/set		
	Set of Tools: Long Nose Pliers, 6", 1 pair/set	Functional Specifications; Used to bend tiny solid wire connectors Performance Specifications: Should be able to bend tiny solid wire connectors		

		Design Specifications; Long Nose Pliers with side cutter, 6' long chrome vanadium material, 1 pair/set		
	Set of tools; Mechanical wire Cutter and pliers 6.5", 1 pair/set	Functional Specifications; Use to bend large wires Performance Specifications; Should be able to bend large wires Design Specifications: Mechanical-Wire Cutted and Pliers, 6 1/2 ", chrome vanadium material, 1 pair/set		
	Set of Tools; Precision Screwdrivers set, 6 pcs/set, with plastic casing, 1 set/set	Functional Specifications; Use to drive flat head screws Performance Specifications; Should be able to drive flat head screws Design Specifications: Soldering Iron, 60		
	Set Tools: Screw Driver, flat, 6", 1 pc/set	Functional Specifications; Use to drive flat head screws Performance Specifications; Should be able to drive flat head screws Design Specifications: Screwdriver, flat, 3/16" tip width x 6" long, chrome vanadium material, 1 pc/set;		
	Set of tools: Screwdriver, Phillips 6', 1pc/set	Functional Specifications; Use to drive Phillips type screws Performance Specifications; should be able to drive Phillips type screws Design Specifications: Screwdriver, phillps, point size blade #3 x 6" long, chrome vanadium material, 1 pc/set.		
	Set of Tools: soldering Iron, 60 watts, 1 pc/set	Functional Specifications; Use to heat electrical contracts for permanent joints Performance Specifications; should be able to heat electrical contracts for permanent joints Design Specifications: Soldering Iron, 60 watts, small type, wooden handle, 1 pc/set		
	Set of Tools Soldering Lead, 01mm, grade 60/40, wt.: 1 lb/spool, 1 spool/set	Functional Specifications; Use to provide permanent joint for different electrical components Performance Specifications; should be able to provide permanent joint for different electrical components Design Specifications: Soldering Lead, o 1 mm, grade 60/40 weight: 1 lb/spool, spool/set		
	Set of Tools: Soldering paste, 50 grams/can, 1 can/set	Functional Specifications; Use to provide better adhesion of solder lead electrical joints Performance Specifications; should be able to provide better adhesion of soled lead to electrical joints Design Specifications: Soldering paste, all purpose flux, non corrosive, 50 grams/can, 1 can/set		
	Set of Tools: Tweezers, stainless steel, with curved tips, 6.5" long, 1 pair/set	Functional Specifications; Use to hold and pick tiny electronics components Performance Specifications; should be able to hold and pick tiny electronics components Design Specifications: Tweezers, stainless, with curved tips, 6 1/2 " long, 1 pair/set		

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
in accordance with Section 8.5.2 of the IRR

Technical Documents

- ☐ (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (c) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (**Attachments: Certificate of End-users Acceptance or Official Receipt/s or Sales Invoice**); **and**
- ☐ (d) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; **or** Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (e) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable (**Attachments: official and unamended brochure or picture of the product with technical specs**); **and**
- ☐ (f) Original duly signed Omnibus Sworn Statement (OSS);
and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (g) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC); **or** A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- ☐ (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

- ☐ (i) Original of duly signed and accomplished Financial Bid Form; **and**
- ☐ (j) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- ☐ (k) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (l) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

BID FORMS ATTACHMENTS

Statement of Single Largest Completed Contract (SLCC) Similar to the Contract to be Bid

Business Name :

Business Address :

Name of Contract	Date of Contract	a. Owner's Name b. Address c. Telephone Nos.	Contract Duration	Date of Delivery	Kinds of Goods	Amount of Completed Contract

Note: This statement shall be supported with:

1. Certificate of End-users Acceptance or Official Receipt/s or Sales Invoice.

Submitted by : _____

(Printed Name and Signature)

Designation : _____

Date : _____

**STATEMENT OF ONGOING GOVERNMENT & PRIVATE CONTRACT INCLUDING CONTRACTS
AWARDED BUT NOT YET STARTED**

Business Name : _____

Business Address: _____

a.Name of Contract b.Location c. Project Cost	a. Owner Name b. Address c. Telephone Nos.	Kinds of Goods/Services	a. Date of Contract b. Date Received of NTP c. Date completion	Contract Duration	Value of Outstanding Works /Uncompleted Portion
<u>GOVERNMENT</u>					
<u>PRIVATE</u>					
					Total Cost

*Continue in a separate sheet if necessary

Note: This statement shall be supported with:

1. Notice of Award and/or Contract
2. Notice to Proceed

Submitted by: _____

:

(Printed Name & Signature)

Designation : _____

Date : _____

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]*

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this ____ day of ____, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Project Identification No. _____
Philgeps Reference No. _____

Eligibility Form

CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY
(Please show computation)

This is to certify that our Net Financial Contracting Capacity (NFCC) is Philippine Pesos _____ (₱ _____) which is at least equal to the total ceiling price of the services we are bidding. The amount is computed as follows:

$$NFCC = (CA-CL) (15) - C$$

Where:

CA = Current Assets

CL = Current Liabilities

C = value of all outstanding or uncompleted portions of contracts/projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid.

Issued this _____ day of _____, 20__.

(Company **Authorized Representative**)

NAME :

DESIGNATION :

Bid Form for the Procurement of Goods
[shall be submitted with the Bid]

BID FORM

Date : _____
Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address	Amount	Purpose of agent	Currency	Commission or gratuity
------------------	--------	------------------	----------	------------------------

(if none, state "None")

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached *[state the written authority]*.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ____ of ____

LOT 1

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of incidental Services, if applicable, per item	Total Price per unit (col 5 + 6 + 7 + 8)	Total Price delivered Final Destination (col 9) x (col 4)
1	Musical Instrument (Miniature Guitar)		275						
2	Set of Tools		150						
3	Glass Cover Slips, 100's/box		500						
4	Glass Slides, 72's/box		500						
5	Protractor-Student Type		30,000						
6	Ruler, Plastic 12"/30CM		30,000						
7	pH Meter, hand-held		105						
8	Rubber Stopper #6 for Erlenmeyer flask (narrow mouth) 250 ml 1 hole		605						
9	Rubber Stopper #6 for Erlenmeyer flask (narrow mouth) 250 ml 2 holes		610						
10	Triangular File, fine 6" long, with plastic handle		500						

11	Universal pH Paper,pH0- 14,100 strips/pack		500						
TOTAL									

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page of _____

LOT 2

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of incidental Services, if applicable, per item	Total Price per unit (col 5 + 6 + 7 + 8)	Total Price delivered Final Destination (col 9) x (col 4)
1	Protractor, student type		60,000						
2	Ruler, Plastic 12"/30CM		60,000						
3	Beaker, borosilicate, 100 ml		5000						
4	Beaker, borosilicate, 500 ml		5000						
Key Stages (SHS-CORE, SHS-STEM)									
1	pH Meter, hand-held		600						
2	Rubber Stopper #6 for Erlenmeyer flask (narrow mouth) 250 ml 1 hole		4000						
3	Rubber Stopper #6 for Erlenmeyer flask (narrow mouth) 250 ml 2 holes		4000						

4	Triangular File, fine 6" long, with plastic handle		500						
5	Universal pH Paper,pH0-14,100 strips/pack		600						
6	Flask, Volumetric, borosilicate, 250 ml		500						
7	Dry Cell, 9 volts		634						
8	Cork Borers		500						
9	Nichrome wire 0.4, 100ft (1 spool per package =1.1 oz minimum with spool		633						
KEY STAGE 4 (SHS-STEM)									
1	Musical Instrument (Miniature Guitar)		275						
2	Beaker, plastic 500 mL								
KEY STAGE 4 (SHS-CORE)									
1	Set of Tools		300						
TOTAL									

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Contract Agreement Form for the Procurement of Goods (Revised)
[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

CONTRACT AGREEMENT

THIS AGREEMENT made the _____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called “the Entity”) of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called “the Supplier”) of the other part;

WHEREAS, the Entity invited Bids for certain goods and ancillary services, particularly [brief description of goods and services] and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of [contract price in words and figures in specified currency] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as integral part of this Agreement, viz.:
 - i. Philippine Bidding Documents (PBDs);
 - i. Schedule of Requirements;
 - ii. Technical Specifications;
 - iii. General and Special Conditions of Contract; and
 - iv. Supplemental or Bid Bulletins, if any
 - ii. Winning bidder’s bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder’s bidding envelopes, as annexes, and all other documents submitted (e.g., Bidder’s response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity’s bid evaluation;
 - iii. Performance Security;
 - iv. Notice of Award of Contract; and the Bidder’s conforme thereto; and
 - v. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. **Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.**

3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
4. The *[Name of the procuring entity]* agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature]

[Insert Name and Signature]

[Insert Signatory's Legal Capacity]

[Insert Signatory's Legal Capacity]

for:

for:

[Insert Procuring Entity]

[Insert Name of Supplier]

Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

LIST OF SDO RECIPIENTS

Schools Division Offices	Name of Supply Officer/ Place of Delivery/Contact No./ Email Address
Alaminos City	Maria Fe R. dela Cruz San Jose Drive, Alaminos City, Pangasinan (075) 654-0212 alaminos.city@deped.gov.ph
Batac City	Angelica D. Obiano Batac City, Ilocos Norte (077) 792-3554 batac.city@deped.gov.ph
Candon City	Dannielle Ann G. Gacusana Candon II Central School, San Isidro, Candon City, Ilocos Sur (077) 742-6065 candon.city@deped.gov.ph
Dagupan City	Clarita F. Tamayo Burgos St., Dagupan City (075) 515-6009 (tf); 523-4742; 522-0875 dagupan.city@deped.gov.ph
Ilocos Norte	Maricar T. Ulep Bgy. 7B, Giron St., Laoag City, Ilocos Norte (077) 771-5253; 771-0960 (f); 772-1993 ilocos.norte@deped.gov.ph
Ilocos Sur	Elizabeth R. Tabin Quirino Blvd., Zone V, Bantay, Ilocos Sur (077) 722-2055 (tf); 722-4394; 722-3290 ilocos.sur@deped.gov.ph
Laoag City	Willie M. Cabello Brgy. 14, Nolasco St, Laoag City, Ilocos Norte (077) 771-1526; 773-2514 (f); 771-3678 laoag.city@deped.gov.ph
La Union	Maria Lelani S. Cortez Flores St., Catbangan, San Fernando City, La Union (072) 242-4464; 242-3570 (tf); 607-8124 la.union@deped.gov.ph
Pangasinan I	Belinda V. Decena Alviar St., East, Capitol Grounds, Lingayen, Pangasinan (075) 542-5969; 542-2374; 542-5965; 542-6132; 542-5812 pangasinan1@deped.gov.ph
Pangasinan II	Eddie V. Cancino Canarvacanan, Binalonan, Pangasinan (075) 513-4281; 513-3411 pangasinan2@deped.gov.ph

San Carlos City	Maria Cristina N. Mamorno Rizal St., San Carlos City, Pangasinan (075) 532-5343; 532-2328 (f); 531-2062 sancarlos.city@deped.gov.ph
San Fernando City	Romulo G. Dyquiangco Jr. Tanqui, San Fernando City, La Union (072) 888-6925; 868-4161
Urdaneta City	Mel Cristian R. Montero San Vicente Drive, Urdaneta City, Pangasinan (075) 568-3056; 568-3055 (tf) urdaneta.city@deped.gov.ph
Vigan City	Mark Allen C. Sinogo Mena Crisologo St. cor. Rivero St. Barangay 9, Vigan City, Ilocos Sur (077) 632-0523; 632- 0533 vigan.city@deped.gov.ph

Republic of the Philippines



Government Procurement Policy Board